

11
MILLERS FALLS

POWER TOOLS



Finest Electric Tools Made

**MILLERS FALLS
TOOLS**

SINCE
1868

The Spirit of Superiority

No. 2818

Vertical Bench Stand

Fits either No. 1814 or No. 814 Drill. Sturdily built. Adjustable vertically and horizontally. Provides powerful leverage.

Maximum,
chuck to table 12"
Maximum,
chuck to column 47½"
Feed 1¾"
Weight 6 lbs.

Packed one stand
in a box



No. 2018

Horizontal Bench Stand

Fits either No. 1814 or No. 814 Drill. Particularly useful when drill is used for grinding, wire brushing, buffing, etc. Sturdily built. Clearance, chuck to table, 2½". Easily blocked up on bench to give greater clearance if desired.

Weight 1¾ lbs.
Packed one stand in a box



FOR STEADY POWER

Mount your ¼" drill in this compact bench stand. With trigger-switch lockout it provides continuous drive for a wide variety of useful accessories.

MAKES SANDING EASY. A hand grip with no fixed parts, no blunted knuckles.



No. 1814

with Jacobs
Geared Key Chuck



No. 814

Same as No. 1814
but with Millers Falls
Precision Hand Chuck

¼-Inch Pistol Grip Drills

Powerful — Compact — Lightweight — for easy, one-hand use

Feature by feature, these Millers Falls pistol-grip drills represent exceptional values. Light (only 3 lbs.) — compact (only 8¾" overall) — and beautifully balanced, they're a real pleasure to use. The palm-fitting grip is the most comfortable we've ever seen. The straight-line trigger switch can be locked for continuous "on" and automatically released at a touch of the trigger. Powerful, too — these new drills are conservatively rated at 1.7 amperes — ample power for drilling up to ¼" in steel — up to ¾" in wood. They're sturdily built and nicely finished in hammer-tone gray enamel. Electrically and mechanically, they offer outstanding value, service and dependability.

MOTOR: Universal for DC or AC 25/60 cycles

VOLTAGES: 115 or 230 volt

HOUSING: Die cast aluminum

GEARS: Alloy steel, grease lubricated

SWITCH: Single pole, with lock and automatic trigger release

BEARINGS: Ball thrust spindle. Others oil impregnated bronze.

CORD: 7 feet of three-conductor, type SJ, with moulded reinforcement and plug.

	Capacity in Steel	Chuck	R.P.M.	Amperes Full load	Length Overall	Weight	Price
No. 814	¼"	Millers Falls	2500	1.7	8¾"	3 lbs.	
No. 1814	¼"	Jacobs Geared Key	2500	1.7	9¾"	3 lbs.	

Individually boxed, packed 20 per case

POLISHING OR WAXING YOUR CAR. A number of the countless jobs you can do better and better with your Millers Falls ¼" drill.



FOR FAST, ACCURATE DRILLING anywhere around the house. Millers Falls ¼" drills are lightweight but packed with power.



No. 1914

with Jacobs
Geared Key Chuck



No. 914

same as No. 1914
but with Miller's Falls
Precision Hand Chuck

1/4-Inch Spade-Handle Drills

with full 2.0-ampere rating

For men who prefer the straight-line operating thrust of a spade-handle drill, the No. 914 and No. 1914 offer outstanding values. They're powerful, smooth-running and sturdy — built with all the rugged dependability that tool-wise craftsmen know you can count on in Miller's Falls tools.

MOTOR: Universal for DC or AC 25/60 cycles

VOLTAGES: 115 or 230 volt

Gears: Alloy steel, grease lubricated

BEARINGS: Ball thrust spindle. Others oil impregnated bronze.

CORD: 7 feet of three-conductor, type SJ, with moulded reinforcement and plug

	Capacity in Steel	Chuck	R.P.M.	Ampere Full Load	Length Overall	Weight	Price
No. 914	1/4"	Miller's Falls	2500	2.0	11 1/2"	3 1/2 lbs.	
No. 1914	1/4"	Jacobs Geared Key	3500	2.0	11 1/2"	3 1/2 lbs.	

Individually boxed, packed 20 per case



Multiply the Uses of Your 1/4" Drill With These Accessories and Supplies

- A. NO. 23066 HIGH-SPEED TWIST DRILL SET. 13 sizes from 1/16 to 1/4 by 44Pcs. High-speed steel. For use in steel, iron, hardwood, plastic, etc.
- B. NO. 23107 DRILL HOLDER. With 13 numbered holes for drill set above.
- C. NO. 2107 3-PIECE DRILL SET. Steel 1/8" — 1/4" — 1/2".
- D. NO. 2115 WHEEL ARBOR. Screws directly on spindle, replacing chuck. For mounting grinding, buffing and wire brush wheels. For wheels with 1/2" holes.
- E. NO. 2130 WHEEL ARBOR. Fits directly into chuck. Otherwise serves same purposes as No. 2115 Wheel Arbor above. For wheels with 1/2" holes.
- F. NO. 23093 GRINDING WHEEL. Medium grit for all around sharpening and grinding use. 4" x 1/2" with 1/2" hole.

- G. NO. 2103 GRINDING WHEEL. Same as No. 23093 (see F), but 3" diameter.
- H. NO. 23094 WIRE BRUSH WHEEL. For cleaning, burrishing and removing rust, scale, old paint. 4" diameter, 1/2" hole.
- I. NO. 23095 BUFFING WHEEL. 4-in. 20-ply, stitched cotton buff for cleaning and polishing metals. 1/2" hole.
- J. NO. 2105 RUBBER PAD. For backing grinding discs and polishing bennets. Pad only. See below for Adaptor.
- K. NO. 2113 RUBBER PAD ADAPTOR. For use with No. 2105 Rubber Pad above.
- L. NO. 2123 3" SANDING DISCS. #1 or #00 Grit.
- M. NO. 2121 5" LAMB'S WOOL BONNET. High grade, genuine lamb's wool for polishing and waxing.

MILLER'S FALLS
TOOLS

SINCE
1868

The Heart of Industry



No. 2014

No. 2014 Horizontal Bench Stand

Cast bed with powerful tightening strap that holds drill rigidly for smooth operation. Design permits exceptional freedom of movement when using with grinding wheels, bolls, etc.

BASE: 2" x 4 1/4", 10mm to bench with 2 screws.

CLEARANCE: Bench to center of drill spindle, 5 1/2"

WEIGHT: 3 1/2 lbs.

Packed 1 stand in a box



No. 2014 Vertical Bench Stand

A solidly constructed stand that makes the No. 914 or No. 1914 Drill into an efficient drill press. Drill is easily moved and securely held for accurate work.

Max. chuck to table 12"
Max. chuck to column 4 1/2"
Feed 1 1/2"
Weight 7 1/2 lbs.

Packed 1 stand in a box

No. 2014



USING JEWELER'S POINT on your buffing wheel puts a mirror finish on almost any metal. It's fun being able to give your work that important "professional touch."



ANYWHERE FOR
THEY'VE IT

They can make your powerful 1/4" drill operate the following in a moment's time. Wire breaking, rusted metal is easily cut off. Metal grinding into your own shape is easy.

No. 8142 Deluxe Drill Kit



1/4-Inch Drill Kits

Everything you need for hundreds of jobs

No. 8142 Deluxe Drill Kit



No. 8142 Deluxe Drill Kit

No. 8142 Deluxe Drill Kit provides everything needed for drilling, polishing, grinding, buffing, sanding, cleaning — hundreds of jobs around the home. Dollar for dollar there's tremendous value packed in this top-quality assortment. A real buy for homeowners, hobbyists, repair and service men. Kit includes: No. 1814 1/4" drill with Jacobs geared key chuck — (A) 5" lamb's wool bonnet — (B) 4" wire brush wheel — (C) 3" grinding wheel — (D) horizontal stand — (E) wheel arbor — (F) 4" buffing wheel — (G) two 5" sanding discs — (H) 5" rubber pad — (I) rubber pad adaptor — (J) set of 13 high-speed twist drills, 1/16" to 1/4" — (K) 13-hole, numbered drill holder — (M) enameled steel carrying case.

	Drill	Chuck	Weight	Price
No. 8142	No. 1814	Jacobs Geared Key	10 1/2 lbs.	
No. 8262		Gray hammer-lane enameled steel carrying case only		

Packed 5 kits in a case

No. 4914 Kit with No. 1914 Drill

No. 3914 Kit with
No. 914 Drill

These kits will reward Millers Falls No. 1914 and No. 914 1/2 inch speed-change drills with a top-quality assortment of the most useful and practical accessories and supplies available for operation with a 1/2-inch drill. Both kits are identical except for the drill and they include: No. 815 or No. 1914 drill — barrel 13 high-speed drills — 1/16" to 1/4" — 13-hole, numbered drill holder — No. 2014 horizontal arch stand — wheel arbor — 4" grinding wheel — 4" wire wheel brush — 4" cotton buff — gray enameled steel carrying case.

	Drill	Chuck	Weight	Price
No. 3914	No. 1914	Miller Falls	16 1/2 lbs.	
No. 4914	No. 1914	with Geared Key	17 1/2 lbs.	
No. 5262		Gray hammer-lane enameled steel carrying case only		

Packed 5 kits in a case

MILLERS FALLS TOOLS

SINCE
1866

The Mark of Superiority

"A whole workshop all in one!" — that's what you'll say about your handy Millers Falls Drill Kit. You'll be amazed to find how much power — and how much usefulness — can be packed into one combination storage box and lightweight carrying case.

What's more, every item in every kit is top-quality — from the fine 1/4" drill itself right down to the last accessory in each assortment. So whichever kit you select, you can be sure of top performance on any of the countless jobs it equips you to do.

Standard Drill Kits

No. 8141
with No. 1814
Drill

No. 8140
with No. 814
Drill

These kits have been specially designed to supply the most useful assortment of quality accessories available at such reasonable prices. Except for the drill, both kits are identical and include: No. 814 or No. 1814 1/4" drill — (A) 5" lamb's wool bonnet — (B) 4" wire brush wheel — (E) wheel arbor — (G) two 5" sanding discs — (H) 5" rubber pad — (I) rubber pad adaptor — (J) set of 3 twist drills, 1/16", 3/16", 1/4" — (K) enameled steel carrying case.



	Drill	Chuck	Weight	Price
No. 8140	No. 814	Miller Falls	8 lbs.	
No. 8141	No. 1814	Jacobs Geared Key	8 lbs.	
No. 8260		Gray hammer-lane enameled steel carrying case only		

Packed 6 kits in a case





**No. 8006
Complete Set
of 6 Sizes**



New "Dyno-Mite" Power Wood Bits

High-speed steel blades even cut through wire nails without damage. Here are the most efficient tools ever developed for boring holes up to 1" diameter in wood, plastics and similar materials with power drills and drill presses. "Dyno-Mite" bits give you all the advantages of the modern flat-blade design which is rapidly replacing conventional auger bits. In addition they have high-speed steel blades which bore clean and fast in either cross or end grain — start readily even at angles — are not affected by drilling heat that would draw temper of ordinary tool-steel bits — stay sharp 10 times longer.

Depth of Cut — 5"

Overall length — 6½"

Shanks ¼"

No.	Blade Diam.	Weight box	Price Each
800	3/8"	8 ea.	
800	1/2"	10 ea.	
800	5/8"	12 ea.	
800	3/4"	14 ea.	
800	7/8"	16 ea.	
800	1"	17 ea.	

Packed 6 in a box

935 12" Extension with Hex Key

Sets in Plastic Rolls

No.	Set of	Weight	Price Set
No. 8004	Set of 4 1½" — 3/8" — 1/2" — 5/8"	3½ lbs.	
No. 8006	Set of 6 1½" — 3/8" — 1/2" — 5/8" — 3/4" — 1"	1 lb.	

Packed 1 set in a box

**MILLERS FALLS
TOOLS**

SINCE
1868

The Best of Quality



Still going strong after boring through 15 ft. of hard maple, 188 screws, 376 wire nails! That's the record of a single "Dyno-Mite" bit used to prepare demonstration blocks like this.




Cut easily, smoothly through hard or soft wood, plywood, plastics, etc.



"Impossible Spots" are easy to reach with Right-Angle Drive in your ¼" drill.

**No. 2130
No. 2135**



Right-Angle Drive

A handy attachment for ¼" electric drills, permitting operation in close quarters where drill cannot be used direct . . . in corners, between studs, etc. No adapter is required. Gear ratio is 1 to 1. Solid steel gears self-lubrication bronze bearings. Side handle is reversible.

NO. 2130 — for ¼" drills with "Geared Key" or "Hex Key" chucks threaded 3/8" — 24 and with 1/8" or longer spindles. This includes Millers Falls No. 1814 and No. 1914.

NO. 2135 — for ¼" drills with spindles threaded 3/8" — 24 and 3/8" or more long. This includes Millers Falls No. 814 and No. 914.

Weight 1 lb. Packed 1 drive in a box

No. 2120



Buffing and Sanding Attachment

Makes any ¼" electric drill an efficient power buffer-sander. Two speeds — 1 to 2 and 3 to 1 drill speed. Sturdy and smooth-running. Grease-sealed lubrication. Machine-cut steel gears. Convenient 100° angle drive allows clearance for drill and cord on flat work.

NO. 2120 — Attachment complete with 5" Rubber Pad, two 3" Sanding Discs, and 1" Lamb's Wool Bonnet, in counter display box. Weight 2½ lbs.

NO. 2121 — Extra 3" Lamb's Wool Bonnet.

NO. 2123 — Extra 5" Sanding Discs (1 or 100 Grit).

NO. 2125 — ¼-inch Drill Chuck for use on No. 2120 Attachment. Permits drilling in corners and other places difficult to reach with drill alone.



Buffing
Polishing
Waxing




Sanding
Cleaning

New Jig-Saw Attachment

Fits any ¼" drill. An extremely versatile and useful tool for sawing intricate patterns for brackets, valances and other decorative or odd shapes in wood — or weather vanes, house signs, etc., in sheet metal. Requires no starting hole in wood — cuts its own way through.

NO. 2140 — Attachment with 4 saw blades. Capacity 3/8" in wood, 1/8" in metal. Weight 1½ lbs. Packed 1 in a box



No. 2140

**MILLERS FALLS
TOOLS**

SINCE
1865

No. 912
1/2 inch drill

with Jacobs
Geared Key Chuck

UL

No. 2912

No. 2912
Vertical Bench Stand

A highly useful companion for the No. 912 drill. Heavy construction throughout. Large base gives stand great stability and is carefully machined for accurate work. Smooth-acting with powerful leverage capable of exerting ample pressure for 1/2" drilling in steel. Takes only a few moments to mount or remove drill.

Max. chuck to table 14"
Max. chuck to column 9 1/2"
Feed 3 1/2"
Weight 26 lbs.

Packed & stand in a box

Most Powerful 1/2-Inch All-Purpose Drill Made

A top buy for farm, home, workshop, garage and repair shop use

For those tough jobs that smaller drills just can't handle, here's the drill for you: Millers Falls No. 912 with more built-in power, more solid, dependable drilling punch than any comparable drill on the market. It has a rugged 3.0 amp. motor, ample power for drilling up to 1/2" holes in steel, up to 1" in wood—without stalling, without over-heating. Locking button for continuous use with automatic trigger release. Removable pipe handle for extra heavy work. Electrically and mechanically, it's the last word in engineering design, built to give you years of fine performance.

MOTOR: Universal for DC or AC 25/60 cycles

VOLTAGES: 115 or 230 volt

HOUSING: Die cast aluminum with hammer-tone gray enamel finish

GEARS: Alloy steel, grease lubricated

SWITCH: Double pole with lock and automatic trigger release

BEARINGS: Ball thrust spindle. Others oil impregnated bronze.

CORD: 7 feet of three-conductor, type S, with moulded reinforcement and plug

	Capacity In Steel	Chuck	R.P.M.	Amps Full Load	Length Overall	Weight	Price
No. 912	1/2"	Jacobs Geared Key	450	3.0	15"	8 lbs.	


Individually boxed, packed 10 per case

EVEN IN CONCRETE, you can drill fast and clean with Millers Falls No. 912 Drill—power enough to handle heavy jobs like this smoothly.

NO STALLING, NO OVERHEATING—even on the toughest jobs—when you have the most powerful all purpose all purpose drill made!



CUT BIG HOLES FAST—up to 1 1/2" holes with cables through partitions or floors—with clean, splinter-free hole saw—on No. 912 Drill.



A SERVICEABLE DRILL makes it quick and easy to mount your No. 912 Drill on this sturdy bench stand.

NO. 888 Power Unit

Complete with 3/8" Jacobs Geared Key Chuck, 6" Rubber Pad and lock nut, three 6" Sanding Discs, 8" Lamb's Wool Bonnet, Spindle Arbor and reversible Side Handle.



MILLERS FALLS
TOOLS

SINCE
1888

With expertly designed, inexpensive attachments, you can have these 8 Additional Machines



6-inch Disc Bench Sander



6-inch Portable Saw

New 888 Power Unit

The start of a Complete Power Workshop

Here's one of the greatest time and work savers ever invented! Just as it comes, the 888 Power Unit is three tools in one — powerful 3/8-inch drill, a 6-inch portable disc sander, and a 6-inch polisher. Add its amazing assortment of beautifully engineered, economically priced attachments to make a very complete power workshop — all for a small fraction of the cost of individually powered tools to perform the same work.

888 Power Unit is Built For Performance. In every detail, this great new tool is designed to give outstanding performance. For instance, all attachments are driven directly from the spindle (the chuck is used for drilling only). Thus the load is kept close to the bearings — wear and vibration are minimized. The rugged Universal AC-DC motor carries a full 4.0 amp. rating. Other features include: N.L. Speed of 3200 r.p.m., . . . drilling capacity 3/8" diameter in metal — 1" diameter in wood.

MOTOR: Universal for DC or AC 25/60 cycles

VOLTAGES: 115 or 250 volt

GEARS, PINION AND SPINDLE: Spindle 3/8"-24T thread. Finest hardened alloy steel. Spindle nut designed to take sanding discs with either 3/8" or 3/4" holes.

SWITCH: Fully enclosed trigger with lock and automatic release

CHUCK: 3/8" Jacobs Geared Key

BEARINGS: Ball thrust spindle. Others oversize self-oiling, bronze sleeve throughout.

BRUSHES: Long life pigtail. Accessible from without.


EQUIPMENT: One 6" Lamb's Wool Bonnet, one each coarse, medium and fine Sanding Disc, one 6" Rubber Pad with conical lock nut. Reversible side handle. Spindle Arbor for wheels with 1/2" holes, 7 feet of three-conductor cord, Type S-J, with moulded reinforcement and plug.



6-inch Bench Saw



4-inch Bench Grinder



Orbital Sander



Portable Dig Saw



Bench Dig Saw

	Chuck	Disc	R. P. M.	Amps.	Weight	Price
No. 888 Power Unit	3/8"	6"	3200	4.0	5 1/2 lbs.	
No. 0888 — same without chuck or accessories.						


Packed complete in counter display carton — Weight 11 1/4 lbs.

See following pages for full listing of 888 Power Unit Attachments



General-Purpose Bench Power Unit for driving wire brushes, buffers, grinding wheels, etc.

Rugged Attachments for the No. 888 Power




No. 881

No. 881 Bench Stand

Solidly bolted or screwed down, this sturdy, cast-iron base converts the No. 888 into a rugged general-purpose bench power unit, providing steady drive for wire brush, buffing or grinding wheels with $\frac{1}{2}$ " holes. The base is also used for operating the No. 889 Disc Sander, the No. 8810 Bench Grinder, and the No. 887 Bench Jig Saw attachment.

	Base	Weight	Price
No. 881	3 1/2" x 5"	2 1/2 lbs.	

Packed 1 in a box




No. 882

No. 882 Orbital Sander

This attachment is mounted and locked directly on the spindle and spindle housing of the No. 888 Power Unit. It transforms rotary motion into orbital motion at the rubber-backed sanding shoe. Used with standard abrasive sheets cut in thirds, it produces an extremely smooth surface on wood or metal for applying fine, high lustre finishes. A "must" for good cabinet work.

	Size Shoe	Weight	Price
No. 882	3 1/2" x 7 1/8"	1 1/4 lbs.	

Packed 1 in a box



No. 883

No. 883 6-Inch Bench Saw

Driven by the powerful No. 888 Power Unit, this extremely useful saw performs wonderfully. Depth of cut is quickly and easily adjustable from 0" up to a capacity of 1 5/8". The big table is 12 1/4" wide, 13" deep and 9 3/8" high, with a full 6" in front of the saw. Comes complete with graduated cut-off and mitering gauge, self-aligning rip fence, and high-quality 6" combination blade.

Table width can be increased to 18 1/4" by adding No. 884 Extensions (extra). The saw is completely guarded below the table and self-elevating No. 885 Saw Guard can be added (extra) for greater safety.

	Saw	Table	Weight	Price
No. 883	6"	12 1/4" x 13"	25 1/2 lbs.	

Packed 1 in heavy carton. Shipping Weight, 33 lbs.

No. 884 Saw Table Extensions

Rugged, well-designed extensions, 3" wide x 13" long, bolt to either side of the No. 883 Saw Table for greater working surface when desired. Packed 1 pair in a box. Weight 5 lbs. Per pair

No. 885 Saw Guard

A highly desirable, self-elevating fixture to protect the operator from that portion of the blade which extends above the table top of the No. 883 Saw. Guard is made of substantial steel stampings and is quickly and firmly mounted on the table with the two screws provided. Packed 1 in a box. Weight 1/2 lb.

No. 8812 Sanding Guide

There are many free-hand disc sanding operations where it is highly desirable to have positive control of the angle of cut in order to prevent gouging and scoring. This attachment provides such control — fastens directly to the housing of the No. 888 Power Unit at any desired angle. Packed 1 in a box. Weight 1/2 lb.



Accessories and Supplies

- A NO. 23086 HIGH-SPEED TWIST DRILL SET. 13 sizes from 1/16 to 1/4 by 4445. High-speed steel. For use in steel, iron, hardwood, plastic, etc.
- B NO. 21187 DRILL HOLDER. 13 numbered holes for drill set above.
- C NO. 9669 BUFFING WHEEL. For cleaning and polishing silver, copper, brass and other metals. Made of fine quality cotton, 7-ply, stitched, 6" diameter.
- D NO. 9666 SANDING DISCS. High-grade 3" Aluminum Oxide disc. Three grits available — coarse, medium and fine. Packed 6 discs in polyphane envelope — either opened grits or all the same.
- E NO. 23092 GRINDING WHEEL. Medium grit for all around sharpening and grinding use. 4" x 1 1/2" with 1/2" hole.
- F NO. 9667 LAMB'S WOOL BONNET. High grade, genuine lamb's wool for polishing and waxing. Fits snugly over rubber pad. 4" diameter.
- G NO. 23094 WIRE BRUSH WHEEL. Medium wire for general cleaning and cleaning. 4" diameter.
- H NO. 9634 CUP WIRE BRUSH. Useful for cleaning and breaking loose surfaces difficult to reach with regular wire wheel brush. 2 1/2" diam.
- I NO. 9670 POWER AUTO POUSS. Loosens and removes film and dirt like magic. And smut on surfaces. Polish with lamb's wool bonnet on the 888 Power Unit.
- J NO. 9671 PAINT STIRRER. Conical shape for maximum stirring efficiency without splashing or spilling. Fits cans of paint or larger tins.

Unit that make a complete Power Workshop

No. 886 Jig Saw

An extremely versatile and useful tool for sawing out intricate patterns in wood or metal. Ideal for making brackets, valances, weather vanes, house signs, and other decorative or odd shapes. *No starting hole is required in wood — it cuts its own way through.*


Attachment clamps directly onto spindle housing of the No. 888 Power Unit and is direct-driven from the spindle by the collar provided. Four fine-quality blades are supplied — two for wood and two for metal.

No. 886



	Capacity	Weight	Price
No. 886	Wood $\frac{3}{4}$ " Metal $\frac{1}{4}$ "	1 $\frac{1}{2}$ lbs.	

Packed 7 in a box



No. 887

No. 887 Jig Saw Table

Projects such as puzzles, monograms and intricate designs can be cut out easier and better when the No. 886 Jig Saw is set up as a bench unit. Such a unit is quickly made by attaching this table to the shoe of the No. 886 Jig Saw and locking the complete assembly in the No. 881 Stand. Note that the jig saw is attached at right angle to the handle on the nose of the No. 888 Power Unit so that the table is parallel to the bench.

The table is a heavy steel stamping 8" by 8" square.

	Size	Weight	Price
No. 887	8" x 8"	1 $\frac{1}{2}$ lbs.	

Packed 1 in a box


No. 8810 4-Inch Bench Grinder

Converts the No. 888 Power Unit into a handy, smooth operating bench grinder with wheel well-guarded for safety. Also provides a work rest that is adjustable for both angle and diameter of wheel.

No. 8810


both angle and diameter of wheel.

The cast-iron guard clamps directly to the spindle housing of the No. 888 Power Unit. The grinding wheel is 4" medium grit with $\frac{1}{2}$ " face and hole. It is mounted on the arbor supplied, which screws directly on the spindle of the No. 888 after it has been clamped into the No. 881 Stand.



	Wheel Diam.	Weight	Price
No. 8810	4"	2 $\frac{3}{4}$ lbs.	

Packed 1 in a box



No. 889

No. 889 6-Inch Disc Bench Sander

Does a fine job of wood sanding or metal polishing at angles and even compound angles. Table is $5\frac{3}{8}$ " x 8", with $3\frac{3}{4}$ " directly in front of the disc. A graduated gauge is provided and the entire table can be tilted to 45°. An adjusting screw is also supplied to correct the normal 90° table-to-disc angle.

The 6" disc is driven directly off the spindle of the No. 888 Power Unit after it has been mounted in the No. 881 Stand. The Sander table and frame bolt directly to the end of the stand.


	Disc	Table	Weight	Price
No. 889	6"	$5\frac{3}{8}$ " x 8"	3 $\frac{1}{2}$ lbs.	

Packed 1 in a box

No. 8811 6-Inch Portable Saw

This attachment makes one of the finest 6" portable saws you could ask for. The shoe is a rigid steel stamping 6" wide and $10\frac{1}{2}$ " long, with sturdy ripping guide. Depth of cut is adjustable from 0" to $1\frac{7}{8}$ " — enough to handle finished 2 x 4's. Angle adjustments from 90° to 45°. For safety a cast aluminum, telescoping saw guard is provided.

No. 8811



	Diam. Saw	Weight	Price
No. 8811	6"	3 $\frac{3}{4}$ lbs.	

Packed 1 in a box

No. 610Heavy Duty
6-Inch Saw1 7/8"
Capacity

UL

Portable Electric Saws

The light weight and perfect balance of these saws make them extremely easy to operate. They perform wonderfully and can be relied on for years of highly satisfactory use.

They are regularly equipped with a fine-quality combination saw blade, telescoping guard for maximum safety, heavy steel shoes with sturdy adjustments for angles and depth of cut, and a built-in ripping gauge. Air blast clearance of the cutting line is provided.

NEW NO. 600 6-INCH SAW. A powerful tool with maximum depth of cut of 1 7/8" at right angle, 1 1/2" at mitre (45°). Gears are precision cut, helical, hardened alloy steel. Bearings are self-aligning, oil-impregnated bronze.

NO. 610 6-INCH HEAVY DUTY SAW. A fine rugged saw that is powerful enough and big enough to handle 90% of all sawing jobs commonly encountered. Maximum cut at right angle, 1 7/8"; at mitre (45°), 1 1/2". Gears are precision cut, helical, hardened alloy steel. Bearings are ball and self-lubricating bronze.

NO. 700 7-INCH SAW. A larger, heavier saw with capacity for cutting finished 2" lumber at right angle or mitre (45°). Maximum cut at right angle, 2 3/8"; at mitre, 1 3/4". Gears are precision cut, helical, hardened alloy steel. Bearings are ball and self-lubricating bronze.


MOTORS: Universal DC or AC 25/60 cycles

VOLTAGES: 115 or 230 volt

EQUIPMENT: No. 600 — 7 feet of three-wire rubber covered cord with moulded plug. Nos. 610 and 700 have 10 ft. cords. Wrench for changing blade is provided. Carrying case and extra blades available separately.

MILLERS FALLS
TOOLSSINCE
1868

The Mark of Dependability




UL

NEW

No. 600 6-Inch Saw

1 7/8" Capacity



No. 700

7-Inch Saw

2 3/8"
Capacity

UL



FASTER THAN 10 MEN WITH HANDSAW. Whether you're amateur or professional, Millers Falls portable electric saws are the biggest buy you can make in faster, easier, more accurate sawing. All are light, compact, simple and safe to use — with plenty of power and adjustments to do practically any sawing job.

	Diameter Saw	R. P. M.	Maximum Cut 90° 45°	H. P. of Motor	Base	Net Weight	Shipping	Price
No. 600	6"	4500	1 7/8" 1 1/2"	1/2	6" x 10 1/2"	9 3/4 lbs.	13 1/2 lbs.	
No. 610	6"	3500	1 7/8" 1 1/2"	1/2	6" x 10 1/2"	10 3/4 lbs.	14 1/2 lbs.	
No. 700	7"	5000	2 3/8" 1 3/4"	1/2	6 1/2" x 11 1/2"	11 lbs.	15 lbs.	
No. 6500	No. 600 Saw complete with steel carrying case							19 1/4 lbs.
No. 7010	No. 610 " " " " " "							20 3/4 lbs.
No. 8700	No. 700 " " " " " "							21 lbs.

Hammer-tone Gray Enamelled Steel Carrying Cases

No. 6000 for No. 600 Saw

No. 7000 for Nos. 610 and 700 Saws

All saws and carrying cases individually boxed



Extra Saw Blades

Type Saw

6" for Nos. 610 & 600 Saws

7" for No. 700 Saw

A Chisel-Tooth Combination

No. 6102

No. 7002

B Hollow-Ground, Mitre or Plane

No. 6104

No. 7004

C Carbide Tipped

No. 6106

No. 7006

D Flooring or Nail

No. 6108

No. 7008

Packed 1 blade in a fibre envelope



47 AUTHORIZED SERVICE STATIONS

assure prompt, factory-quality service

To save time and transportation costs, and to make factory-quality service readily available from coast to coast, Millers Falls maintains an extensive network of authorized service stations. Each is fully equipped, staffed and stocked to render top-quality repairs and reconditioning on any Millers Falls electric tool quickly, efficiently and at reasonable cost.

UNITED STATES

Amarillo, Texas	Service and Supplies, 1301 West 6th Street
Atlanta, Georgia	Tool Service Co., 426 Lutkie Street, N.W.
Baltimore, Maryland	Large Electric Co., 202 W. Chase Street
Birmingham, Alabama	Birmingham Elec. Battery Co., Ave. B and 22nd St.
Boston, Massachusetts	W. J. Conner Co., 210 Needham Street, Newton
Buffalo, New York	S-S Electric Repair Shop, Inc., 2470 Seneca Street
*Chicago, Illinois	Millers Falls Co., 612 West Randolph Street
Cincinnati, Ohio	Cincinnati Electrical Repair Co., 313 East Pearl Street
Cleveland, Ohio	Reserve Electric Company, 2090 East 19th Street
Dallas, Texas	Pearson Appliance Co., 2323 Commerce Street
Denver, Colorado	C. F. McKelvey, 1120 18th Street
Detroit, Michigan	Ken Waldbach, 13731 Hartwell Avenue
Erie, Pennsylvania	R. P. Anderson, 16 West 12th Street
*Fort Worth, Texas	Millers Falls Company, 2711 Race Street
Hartford, Connecticut	R. M. Grant Tool Supply Co., 65 Airport Road
High Point, North Carolina	Fledmont Electric Repair Company
Houston, Texas	Mill Electric, Inc., 2605 Polk Avenue
Indianapolis, Indiana	Electric Tool Service, 34 W. 10th Street
Jacksonville, Florida	Turner Electric Works, 1020 E. 8th Street
Kansas City, Missouri	Heath Electric Company, 518 16th Street
Los Angeles, California	Electric Tool & Supply Co., 3000 Santa Fe Ave.
Miami, Florida	Florida Electric Motor Co., 235 Northwest Second Avenue
*Millers Falls, Massachusetts	Millers Falls Company
Memphis, Tennessee	Parker Electric Co., 1316 Madison Avenue
Newark, New Jersey	I. R. Nelson Co., Bond Street

*New York, New York	Millers Falls Company, 780 Varot Street
New Orleans, Louisiana	Bill Dren, Inc., 1000 Poydras Street
Oakland, California	Electric Appliance Service Co., 1000 Broadway
Oklahoma City, Oklahoma	Minton Machinery Co., 1000 Robinson
Omaha, Nebraska	Carl A. Anderson, Inc., 1000 Jones Street
Philadelphia, Penn.	Alden Elec. Tools & Service, 1234 Spring Garden St.
Pittsburgh, Pennsylvania	Snyder Electric Co., 1919 Gateway Street
Portland, Oregon	Instrument Laboratory, Inc., 1728 S. W. Harbor Drive
Rochester, New York	Frank E. Laffan & Co., 167 Charlotte Street
Salt Lake City, Utah	Whitmore Oxygen Co., 430 East S. Temple St.
Seattle, Washington	Instrument Laboratory, Inc., 934 Elliot Avenue W.
St. Louis, Missouri	Standard Electric Co., 3880 Washington Boulevard
St. Paul, Minnesota	Anderson Machine Tool Co., 2631 University Ave.
San Antonio, Texas	Whitson Electric & Manufacturing Co., 402 Vine St.
San Francisco, California	Electrical Appliance Service Co., 920 Natoma St.
Tampa, Florida	Patrick Electrical Service, 1519 West Hillsboro Avenue

*Factory Branches


CANADA

Vancouver, B. C.	Armature Electric Ltd., 1055 Seymour Street
Lansing, Ontario	Bert Thomas Electric Repair Co., 4578 Yonge Street
Montreal, Que.	International Electric Co., 1037 Bleury Street
Calgary, Alberta	Graver & Longmate, Ltd., 239 Second Avenue West
Winnipeg, Manitoba	Western Elevator & Tool Co., Ltd., 125 Princess St.
Edmonton, Alberta	Electrical Instrument Co., Ltd., 10105 106th Street

1 1/2 lbs.
tong
red.
1 1/2 lbs.
tong in a box

nicely finished in box

Finest Power Tools Made



**MILLERS FALLS
TOOLS**

SINCE
1868

®

The Mark of Superiority

MILLERS FALLS COMPANY • Greenfield, Mass.